DATE: 23 Oct

STATEMENT OF WORK (SOW)
for
Inspection and Repair Only As Necessary (IROAN)
of the
AN/TPS-59(V)3
Frequency Multiplier
NSN 5895-01-406-5272

SOW-03-844-2-8G595B-2/1

- 1. This SOW identifies the work effort that shall be performed by the Contractor to IROAN the AN/TPS-59(V)3 Frequency Multiplier NSN 5895-01-406-5272, part number 77D614491G1, CAGE 03538.
- 2. The attached manuscript has been reviewed and is concurred upon by the following signers:

LAWRENCE E HERNDON Weapon Systems Manager Radar Systems Section (Code 844-2) MARCORSYSCOM, Albany, GA

VIRGINIA A WILSON Team Leader Inventory Management Specialist (Code 844-2) MARCORSYSCOM, Albany, GA RICHARD E JONES Team Leader Equipment Specialist (Code 844-2) MARCORSYSCOM, Albany, GA STATEMENT OF WORK (SOW)
for
Inspection and Repair Only As Necessary (IROAN)
of the
AN/TPS-59(V)3
Frequency Multiplier
NSN 5895-01-406-5272

- 1.0 <u>Scope</u>. This Statement of Work (SOW) establishes, sets forth tasks and identifies the work efforts that shall be performed by the Contractor to repair the AN/TPS-59(V)3 Frequency Multiplier NSN 5895-01-406-5272, part number 77D614491G1, CAGE 03538. This document contains requirements to restore the Frequency Multiplier to Condition Code "A." Condition Code "A" is defined as "serviceable/issuable without qualification; new, used, repaired or reconditioned material that is serviceable and issuable to all customers without limitation or restriction, including material with more than six months shelf-life remaining."
- 1.1 <u>Background</u>. IROAN is defined as "That maintenance technique which determines the minimum repairs necessary to restore equipment components or assemblies to prescribed maintenance serviceability standards by utilizing all available diagnostic equipment and test procedures in order to minimize disassembly and parts replacement."
- 2.0 <u>Applicable Documents</u>. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DoDISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirements.
- 2.1 Military Standards.

MIL-STD-2073-ID DoD Standard Practice for Military Packaging MIL-STD-129 DoD Standard Practice for Military Marking

2.2 <u>Other Government Documents and Publications</u>. The latest issues of those documents cited below shall be used.

77D614491 Drawing Assembly, Frequency Multiplier 77D614491G1 Parts List, Frequency Multiplier 77A107033 Test Requirements, Frequency Multiplier

Military Handbooks (For Guidance).

MIL-HDBK-61 Configuration Management Guidance

2.3 Industry Standards.

ANSI/ISO/ASQC Q9003-1994

Quality Systems - Model for Quality Assurance in Final Inspection and Test

Industry Standards (For Guidance).

ANSI/EIA-649

National Consensus Standard for Configuration Management

{Copies of military standards and specifications are available from the DOD Single Stock Point, Document Automation and Production Service Philadelphia, Building 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, Telephone (215) 697-2179 or DSN 442-2179, or http://dodssp.daps.mil. Copies of other government publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Commander, Attn: Contracting Officer (Code 891), Marine Corps Logistics Base, 814 Radford Blvd., Albany, GA 31704-1128, commercial telephone number (229) 639-6761 or DSN 567-6761. Copies of engineering drawings shall be obtained from: Life Cycle Management Center, Attn (Code 851-3), 814 Radford Blvd Suite 20320, Albany GA 31704-0320, commercial telephone number (229) 639-6410 or DSN 567-6410.}

3.0 <u>Requirements</u>.

- 3.1 The Contractor shall repair the Frequency Multiplier strictly in accordance with the requirements as specified in 77D614491 and 77D614491G1, CAGE 03538. Testing shall be conducted in accordance with 77A107033. The Contractor shall be responsible for all parts, materials, labor, facilities, tools, and test equipment necessary to inspect and repair only as necessary the equipment in accordance with this SOW.
- 3.2 Packaging, Handling, Storage and Transportation (PHS&T).
- 3.2.1 The Contractor shall be responsible for preservation and packaging of items to be delivered under the terms of this SOW. Items being prepared for long-term storage or overseas (OCONUS) shipment shall be in accordance with level "A" requirements of MIL-STD-2073-1D, Appendix A, Table A.VI, Electronic Equipment. Items being prepared for immediate use and domestic (CONUS) delivery shall be in accordance with level "B" requirements. Level "A" preservation and packaging shall normally be required, due to the anticipated long-term storage requirements. Exceptions (items that have a confirmed immediate use within CONUS) will be identified, in writing, by the Weapon System Manager (WSM) Code 844-2.
- 3.2.2 Marking shall be in accordance with MIL-STD-129.
- 3.2.3 The Marine Corps will provide the Contractor with the shipping address(es) for delivery of the repaired equipment. The Contractor shall be responsible for arranging for shipment to the predesignated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the Contractor.

- 3.3 <u>Configuration Control.</u> The contractor shall apply configuration control procedures to established configuration items. The contractor shall not implement configuration changes to an item's documented performance or design characteristics without prior written authorization. All permanent changes to the form, fit or function of the baseline shall be by Engineering Change Proposal. MIL-HDBK-61 (paragraph 4.2 and Table 4-6) and ANSI/EIA-649 (paragraph 5.3.1) provide guidance for preparing these configuration control documents. If it is necessary to temporarily depart from the authorized configuration, the contractor shall prepare and submit a Request For Deviation. MIL-HDBK-61 (paragraph 4.3 and Table 4-9) and ANSI/EIA-649 (paragraph 5.3.4) provide guidance for preparing these configuration control documents.
- 3.4 Government Furnished Equipment (GFE) and Government Furnished Materiel (GFM). The Management Control Activity (MCA/Code 827-2) will coordinate Government Furnished Equipment/Government Furnished Materiel (GFE/GFM) requests and maintain a central control system on all government owned assets in the Contractor's possession. The MCA will forward a GFE/GFM Accountability Agreement to the Contractor for signature to establish a chain of custody and identify property responsibilities for Marine Corps assets. The Contractor shall report receipt of all GFE/GFM, and report consumption of GFM to the MCA. The MCA, in conjunction with the WSM, reserve the right to deny any requests for GFE/GFM. Under no circumstances shall such denial form a basis for either work stoppages or delays in delivery.
- 3.5 <u>Quality Assurance Provisions</u>. The Contractor shall provide and maintain a Quality System that, as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9003-1994, Quality Systems Model for Quality Assurance in Final Inspection and Test.
- Reports. The Contractor shall develop a Test Data Report (TDR) referencing this SOW, the NSN, part number, and serial number of the Frequency Multiplier. The TDR shall reference the specific paragraph of the Test Requirement, 77A107033, for all "Performance Requirements" (i.e. the allowable parameters, and quantitative test results). Upon request, a copy of the TDR shall be submitted electronically (preferred), via regular mail, or facsimile to the WSM. Electronic address is "MbMatcom844-2@matcom.usmc.mil" Mailing address is: Commander, Attn (Code 844-2), Marine Corps Systems Command, 814 Radford Boulevard Suite 20343, Albany, GA 31707-0343. Facsimiles may be sent to (229) 639-5498 or DSN 567-5498, attention Weapons System Manager, Code 844-2.

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments reporting this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Department of Defense, Washington, VA 22202-4302. Respondents should be aware that notwrithstending any other provision of law, no person shall be subject to any poselfy for falling to comply with a collection of information if it does not display a currently valid OMB control number.

Please DO NOT RETURN your form to the above address. Send completes form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block £.

A. CONTRACT LINE	INTRACT LINE ITEM NO. B. EXHI						THER X					
					TDP TM							
D. SYSTEM/ITEM Frequency Mi	ultiplier, AN/TP	S-59(V)3	E. CONTRACT/F	PR NO.		F. CONTRA	ACTOR					
1. DATA ITEM NO.	2. TITLE OF DATA ITEM		•			3. SUBTITLE						
A001	Engineering Change Proposal						Configuration Management					
	AUTHORITY (Data Acquisition Document No.) 5. CONTRACT REFERENCE						5. REQUIRING OFFICE					
DI-	CMAN-80639C			SOW	3.3		M	ICLBA (85	51)			
7. DD 250 REQ	9. DIST STATEMENT	10. FREQUEN			ON	14. DISTRIBUTION						
LT	REQUIRED	, A	ASREQ	See Blk 16		6			b. COPIÉS			
8. APP CODE		11. AS OF DA	TE	13. DATE OF SUBSEQUENT SUBMISSION			a. Addressee	Draf	Final Final			
	Α _			300111130				S a	Reg	Repro		
16. REMARKS							MCLBA (85	1-2)	0 1	0		
Blk 4 - Contra format.	ctor format is au	thorized a	nd shall be si	ubmitted i	n .doc or .	.pdf				+ +		
Blks 10 & 12 -	- ECPs shall be s	submitted f	or all propos	sed change	es which							
Blks 10 & 12 - ECPs shall be submitted for all proposed changes which permanently affect the baseline of a configuration item.								 	-			
ECPs will be reviewed and disposition determined within 30 calendar days upon receipt by the Government.												
									-	11		
ECPs shall be transmitted via e-mail to the following address: mbmatcomconfigmngmnt@matcom.usmc.mil								-				
Distribution St	tatement A: App	proved for	public releas	se, distribi	ution is un	limited.				_		
							ļ			$\downarrow \downarrow \downarrow$		
										1		
										┼ ──┦		
										╂		
									+	+		
								·				
									1	1		
								—				
									ᆀ			
										1		
									\rightarrow	1		
									\rightarrow	1		
									+-	 		
									_	_		
								-				
1										1		
							15. TOTAL	<u></u>	0 .	1 0		
G. PREPARED BY	1	1	H. DATE	l.	APPROVED B	BY CO		J. [DATE			
Dan a	A Mail	1/2	Inhall			<u> </u>	7	1 =	3//	17 July 1		
				' / /			X 1 /		1 (/)			

17. PRICE GROUP

18. ESTIMATED
TOTAL PRICE

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved

OMB No. 0704-0188

The public reporting burden for this collection of information is astimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense. Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Lefferson Devis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for faining to comply with a collection of information if it does not display a currently valid OMB control number.

The public reporting burden for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completely supported by the collection of information of this burden, searching instructions, searching existing data sources, gathering and maintaining the data needed, and completely supported by the collection of information of this burden, searching existing data sources, gathering and maintaining the data needed, and completely supported by the collection of information, including instructions, searching existing data sources, gathering existing instructions, searching existing data sources, gathering existing instructions, searching existing existing instructions, searching existing instructions, searching existing existing instructions, searching existing existing existing existing existing existing existing existing existing e

A. CONTRACT LINE ITEM NO.		B. EXHIBIT		C. CATEGORY:		×				
			T = ======	TOP TM						
D. SYSTEM/ITEM Frequency Mu	ıltiplier, AN/TPS	-59(V)3	E. CONTRACT/PI	f NU.	F. CONTRA	ACIUK				
DATA ITEM NO.	2. TITLE OF DATA ITEM	J/ (+ /J			3. SUBTITLE					
	2. HILE VE DATA (IEM									
Λ002		Request For Deviation				Configuration Mar	nageme	nt		
AUTHORITY (Data Acquisition Document No.) 5. CONTRACT REFERENCE			<u></u>	6. REQUIRING OFFICE						
DI-CMAN-80640C SOW 3.3						MCLBA (851)				
7. DD 250 REQ 9. DIST STATEMENT		10. FREQUENCY 12. DATE OF FIRST SUBMIS				14. DISTRIBUTION				
LT	REQUIRED	ASREQ		See Blk 1	6		b. COPIES			
APP CODE	_	11. AS OF DA	TE	13. DATE OF SUBSEQUENT SUBMISSION		a. Addressee	Draft	Fir	Final	
A	A						Siate	Reg	Repro	
.remarks lk 4 - Contrac ormat.	ctor format is auth	iorized ai	nd shall be su	bmitted in .doc or	.pdf	MCLBA (851-2)	0	1	0	
lks 10 & 12 -	RFDs shall be su	hmitted t	to obtain autho	orization to deliver						
onconforming ocumentation.	meterial which d	oes not n	neet the presc	orization to deliver ribed configuration	n		 			
FDs will be r	eviewed and disp	osition de	etermined with	hin 30 calendar da	ys upon					
ceipt by the C	Government.			•						
FDs shall be j	transmitted via e- figmngmnt@matc	mail to th	ne following a	ddress:			ļ			
omatcomconf	ngmngmnt@matc	om.usmc	.mil				\perp			
ictribution St.	otamant A : A	oued for	nublic valoess	e, distribution is un	limitad					
istitouuton Sk	асепси А. Аррг	oveu ior	public release	, uisii ibuuon is un	mmicu.		 			
										
							-			
							+			
							1			
						-	· •			
							1			
							†			
							1 1			
							11			
						· —				
						. — —				
							ļ.,		-	
									-	
							ļ			
									-	
							···			
							 			
						15. TOTAL	0	1	0	
PREPARED BY	7.7		H. DATE	I. APPROVED E	RY	/	J. DATI	<u>Г</u>		
Jan es	C. Oul	2	10/201	(2)	. ک	3/	7	- 1 / <u>e</u>	シ :	
24/150	1, AUG 96 (EG)		1/1/3	REVIOUS EDITION MAY BE	<u> </u>		Page	of	Page	